## THE IMPACT OF COMBINED REGIMES OF EXTREME HEAT LOAD IRRADIATION ON THE SURFACE OF DOUBLE FORGED TUNGSTEN

Berit Väli<sup>1</sup>, Jana Paju<sup>1</sup>, Tõnu Laas<sup>1</sup>, Veroonika Shirokova<sup>1,2</sup>, Katrin Laas<sup>1</sup>

<sup>1</sup>School of Natural Sciences and Health, Tallinn University, Narva Road 25, Tallinn, 10120 Estonia 
<sup>2</sup>Center for Science and Engineering, Virumaa College of Tallinn University of Technology, 
Järveküla Road 75, Kohtla-Järve, 30322, Estonia 
e-mail of presenting author: bvali@tlu.ee

In the current research double forged tungsten (DFW) is investigated as a potential candidate for armour material of future tokamak's divertor. In fusion devices armour materials, especially in the

region of divertor, are exposed to continuous heat and particle load. Also, several off-normal events can affect the material during each work session. Calculations show that effect of plasma and the heat can lead to cracking, erosion and detachment of the material. Mutual and combined influence of different kinds of heat and particle loads can lead to amplification of defects or *vice versa*, to the mitigation of damages. The combined effects of different plasma fluxes are investigated on tungsten




Fig.1 3D micro-topography of sample DFW-1 (after being irradiated twice: a. 50 pulses at PF-6 and b. 50 pulses at PF-12) measured with Bruker 3D white light Optical Microscope Contour GT-K.

samples. Research is conducted by analyzing SEM images and measurements of 3D microtopography.

## References

- 1. Wirtz, M., Linke, J., Pintsuk, G., Rapp, J., Wright, G. (2012) Influence of high flux hydrogen-plasma exposure on the thermal shock induced crack formalism in tungsten. J.Nucl.Mater., **420**, 218-221.
- Väli, B., Laas, T., Paju, J., Shirokova, V., Paduch, M., Gribkov, V.A., Demina, E.V., Pimenov, V.N., Makhlaj, V.A., Antonov, M. (2016) The experimental and theoretical investigations of damage development and distribution in double-forged tungsten under plasma irradiation-initiated extreme heat loads. Nukleonika.61 (2), 169-177
- 3. Makhlai, V.A., Gaskusha, I.E., Linke, J. et al. (2016). Damaging of tungsten-tantalum alloy exposed in ITER ELM-like conditions. Nucl. Mater. Energy. (In Press)

